

# NUTRICIA PKU GMPro Ultra

## PKU GMPRO ULTRA VANILLA POWDER Food for Special Medical Purposes

### DESCRIPTION

PKU GMPro ULTRA Vanilla is a vanilla flavoured, nutritionally incomplete, low-phenylalanine\* powdered drink mix containing glycomacrocopptide (GMP), with essential and non-essential amino acids, vitamins, minerals, trace elements and a small amount of carbohydrate and fat.

### INDICATIONS

For the dietary management of proven phenylketonuria (PKU) in children aged 3 years onwards and adults.

### PREPARATION AND ADMINISTRATION

- Recommended Feed Concentration is 33.4g powder (1 sachet) made up with 180ml water to give a final volume of 210ml.
- A lower concentration maybe required according to individual tastes and tolerance.
- Water or additional fluid should be offered at the same time as PKU GMPro ULTRA Vanilla to ensure adequate fluid intake

### GENERAL PRECAUTIONS

- Not suitable for children under 3 years of age
  - Not for parental use
  - Use under medical supervision
  - Not suitable as sole source of Nutrition
  - Not suitable for individuals with a cow's milk allergy
- PKU GMPro ULTRA Vanilla should not be used as a sole source of protein but must be given in conjunction with natural protein and other nutrients to supply phenylalanine, fluid and general nutrition requirements of the patient in medically prescribed quantities.
- Monitor micronutrient intakes to ensure an individual's intakes are optimal.
- \*PKU GMPro ULTRA Vanilla contains 36mg PHE per 33.4g serving

### INGREDIENTS

Casein glycomacrocopptide (GMP) isolate (48.29%) (from milk), Sugar, L-Leucine, L-Tyrosine, L-Arginine, Magnesium hydrogen phosphate, L-Histidine, Vegetable oils (Rapeseed, Safflower, Coconut, Soybean), Flavourings, Tricalcium phosphate, Maltodextrin, L-Valine, L-Cystine, L-Tryptophan, Calcium hydrogen phosphate, Potassium chloride, Choline bitartrate, Modified starch (corn), Calcium carbonate, Potassium citrate, Sodium chloride, Anticaking agent (E551), Taurine, L-Ascorbic acid, L-Carnitine, Inositol, Ferrous sulphate, Sweetener (Sucralose), DL-alpha Tocopherol acetate, Nicotinamide, Zinc oxide, Copper gluconate, Calcium D-pantothenate, Thiamine hydrochloride, Manganese sulphate, Pyridoxine hydrochloride, Riboflavin, Retinyl palmitate, Sodium selenite, Beta-Carotene, Sodium molybdate, Potassium iodide, Chromium chloride, Folic acid, Phytomenadione, D-Biotin, Cholecalciferol, Cyanocobalamin

Contains: Milk



### MIXING INSTRUCTIONS

- Wash hands. Use clean equipment to prepare feed.
- Measure the required amount of cold water into a container and add the prescribed quantity of PKU GMPro ULTRA Vanilla.
- Cover with a tight-fitting lid and shake the product until the powder has dissolved.
- PKU GMPro ULTRA Vanilla is best served chilled and should be consumed immediately.

### ADMINISTRATION GUIDELINES

The daily amount of PKU GMPro ULTRA should be determined by a clinician or dietitian and will vary from person to person according to individual needs.

PKU GMPro ULTRA can be used as the sole source of low-Phe protein or used in combination with other protein substitutes for PKU (e.g. PKU GMPro MIXIN, PKU GMPro LQ, PKU Lophlex, PKU Anamix Junior).

### STORAGE

Store in a cool, dry place away from sunlight.  
Once opened, content should be used up immediately.

### PACK SIZE

30 x 33.4g sachets.

# PKU GM PRO ULTRA VANILLA POWDER

For Healthcare Professionals Use Only.  
Not for distribution to the general public

COMPONENT	UNIT	Per 100g Powder	Per 100kcal	Per 33.4g Serving	Per 100ml*
Energy	kJ	1364	425	456	217
	kcal	321	100	107	51.0
Protein/protein equivalent	g	60.0	18.7	20.0	9.5
Carbohydrate	g	14.7	4.6	4.9	2.3
Sugars	g	9.7	3.0	3.2	1.5
Lactose	g	0.05	0.02	0.02	0.01
Fat	g	2.5	0.78	0.82	0.40
Saturates (of which MCT)	g	0.66	0.21	0.22	0.10
Monounsaturates	g	1.4	0.44	0.47	0.22
Polyunsaturates	g	0.45	0.14	0.15	0.07
Dietary fibre	g	0	0	0	0
Salt	g	2.8	0.86	0.92	0.44
<b>Minerals and trace elements</b>					
Sodium (Na)	mg	1006	313	336	160
	mmol	48.1	15.0	16.1	7.6
Potassium (K)	mg	1571	489	525	250
	mmol	40.2	12.5	13.4	6.4
Chloride (Cl)	mg	792	247	265	126
	mmol	22.3	6.9	7.4	3.5
Calcium (Ca)	mg	1442	449	482	229
	mmol	36.0	11.2	12.0	5.7
Phosphorus (P) or Phosphate as PO <sub>4</sub>	mg	1416	441	473	225
	mmol	45.7	14.2	15.3	7.3
Magnesium	mg	347	108	116	55.2
	mmol	14.3	4.5	4.8	2.3
Ca / P ratio	-	1.0	-	1.0	-
Iron	mg	18.0	5.6	6.0	2.9
Copper	mg	1.6	0.51	0.54	0.26
Zinc	mg	14.0	4.4	4.7	2.2
Manganese	mg	1.0	0.31	0.33	0.16
Iodine	μg	188	58.6	62.8	29.9
Molybdenum	μg	73.0	22.7	24.4	11.6
Selenium	μg	73.0	22.7	24.4	11.6
Chromium	μg	51.0	15.9	17.0	8.1
<b>Vitamins</b>					
Vitamin A	μg RE	551	172	184	87.6
	IU	1836	572	613	292
Vitamin D3	μg	27.0	8.4	9.0	4.3
	IU	1080	336	361	172
Vitamin E	mg-α-TE	18.4	5.7	6.1	2.9
	IU	27.6	8.6	9.2	4.4
Vitamin C	mg	86.4	26.9	28.9	13.7
Vitamin K1	μg	86.4	26.9	28.9	13.7
Thiamin (B1) as base	mg	1.7	0.54	0.58	0.28
Thiamin (B1) as HCl	mg	2.2	0.69	0.73	0.35
Riboflavin (B2)	mg	2.2	0.69	0.73	0.35
Niacin (B3)	mg	18.0	5.6	6.0	2.9
	mg NE	43.0	13.4	14.4	6.8
Vitamin B6	mg	2.0	0.62	0.67	0.32
Folic acid	μg	240	74.8	80.2	38.2
Vitamin B12	μg	4.3	1.3	1.4	0.68
Biotin	μg	43.2	13.5	14.4	6.9
Pantothenic acid (B5)	mg	6.0	1.9	2.0	1.0
Choline	mg	360	112	120	57.2
Myo-inositol	mg	71.3	22.2	23.8	11.3
Beta-carotene	μg	102	31.8	34.1	16.2
<b>Amino Acids</b>					
L-Alanine	g	2.4	0.75	0.80	0.38
L-Arginine	g	3.0	0.93	1.0	0.48
L-Aspartic acid	g	3.6	1.1	1.2	0.57
L-Cyst(e)ine	g	1.7	0.53	0.57	0.27
L-Glutamic Acid	g	8.0	2.5	2.7	1.3
L-Glutamine	g	0	0	0	0
Glycine	g	0.42	0.13	0.14	0.07
L-Histidine	g	2.4	0.75	0.80	0.38
L-Isoleucine	g	4.4	1.4	1.5	0.70
L-Leucine	g	9.0	2.8	3.0	1.4
L-Lysine	g	2.6	0.80	0.86	0.41
L-Methionine	g	0.80	0.25	0.27	0.13
L-Phenylalanine	mg	108	33.6	36.0	17.2
L-Proline	g	4.8	1.5	1.6	0.76
L-Serine	g	3.0	0.93	1.0	0.48
L-Threonine	g	6.8	2.1	2.3	1.1
L-Tryptophan	g	1.4	0.44	0.47	0.22
L-Tyrosine	g	6.0	1.9	2.0	0.95
L-Valine	g	5.2	1.6	1.7	0.83
L-Carnitine	g	0.08	0.02	0.03	0.01
	mg	79.2	24.7	26.5	12.6
Taurine	g	0.18	0.06	0.06	0.03
	mg	180	56.1	60.1	28.6
Osmolarity	mOsmol / L	450			
	Dilution	15.9% w/v			
Osmolarity	mOsmol / kg water	500			

\*For a powder product, when prepared as directed on the label at: 15.9% Dilution.

A food for special medical purposes; must be used under strict medical supervision.

For more information contact the Nutricia Care Line: New Zealand: 0800 438 500; nutricia.co.nz/adult/

Nutricia Ltd.

Level 1, 19a Morgan Street

Newmarket, Auckland, New Zealand, 1149.

# NUTRICIA PKU GMPro Ultra

## PKU GMPro ULTRA LEMONADE POWDER

### DESCRIPTION

Food for special medical purposes: PKU GMPro ULTRA Lemonade is a lemon flavoured, nutritionally incomplete, low-phenylalanine\* powdered drink mix containing glycomacrocpeptide (GMP), with essential and non-essential amino acids, vitamins, minerals, trace elements and a small amount of carbohydrate and fat.

### INDICATIONS

For the dietary management of proven phenylketonuria (PKU) in children aged 3 years onwards and adults.

### PREPARATION AND ADMINISTRATION

- Recommended Feed Concentration is 33.4g powder (1 sachet) made up with 180ml water to give a final volume of 210ml.
- A lower concentration maybe required according to individual tastes and tolerance.
- Water or additional fluid should be offered at the same time as PKU GMPro ULTRA Lemonade to ensure adequate fluid intake

### MIXING INSTRUCTIONS

- Wash hands. Use clean equipment to prepare feed.
- Measure the required amount of cold water into a container and add the prescribed quantity of PKU GMPro ULTRA Lemonade.
- Cover with a tight-fitting lid and shake the product until the powder has dissolved.
- PKU GMPro ULTRA Lemonade is best served chilled and should be consumed immediately.

### ADMINISTRATION GUIDELINES

The daily amount of PKU GMPro ULTRA should be determined by a clinician or dietitian and will vary from person to person according to individual needs.

PKU GMPro ULTRA can be used as the sole source of low-Phe protein or used in combination with other protein substitutes for PKU (e.g. PKU GMPro MIXIN, PKU GMPro LQ, PKU Lophlex, PKU Anamix Junior).

### STORAGE

Store in a cool, dry place away from sunlight.  
Once opened, content should be used up immediately.

### PACK SIZE

30 x 33.4g sachets.

### GENERAL PRECAUTIONS

- Not suitable for children under 3 years of age
- Not for parental use
- Use under medical supervision
- Not suitable as sole source of Nutrition
- Not suitable for individuals with a cow's milk allergy
- PKU GMPro ULTRA Lemonade should not be used as a sole source of protein but must be given in conjunction with natural protein and other nutrients to supply phenylalanine, fluid and general nutrition requirements of the patient in medically prescribed quantities.
- Monitor micronutrient intakes to ensure an individual's intakes are optimal.

\*PKU GMPro ULTRA Lemonade contains 36mg PHE per 33.4g serving

### INGREDIENTS

Casein glycomacrocpeptide (GMP) isolate (48.29%) (from milk), L-Leucine, Sugar, L-Tyrosine, Flavour enhancer (E330), L-Arginine, Flavouring, Magnesium hydrogen phosphate, L-Histidine, Tricalcium phosphate, L-Valine, L-Cystine, Dried Glucose Syrup, L-Tryptophan, Calcium hydrogen phosphate, Potassium chloride, Maltodextrin, Choline bitartrate, Calcium carbonate, Potassium citrate, Sodium chloride, Anticaking agent (E551), Taurine, L-Ascorbic acid, Sweetener (Sucralose), L-Carnitine, Inositol, Ferrous sulphate, DL-alpha Tocopheryl acetate, Nicotinamide, Zinc oxide, Copper gluconate, Calcium D-pantothenate, Thiamine hydrochloride, Manganese sulphate, Pyridoxine hydrochloride, Riboflavin, Retinyl palmitate, Sodium selenite, Beta-Carotene, Sodium molybdate, Potassium iodide, Chromium chloride, Folic acid, Phytomenadione, D-Biotin, Cholecalciferol, Cyanocobalamin

Contains: Milk



# PKU GM PRO ULTRA LEMONADE POWDER

For Healthcare Professionals Use Only.  
Not for distribution to the general public

COMPONENT	UNIT	Per 100g Powder	Per 100kcal	Per 33.4g Serving	Per 100ml*
Energy	kJ	1240	425	414	197
	kcal	292	100	98.0	46.4
Protein/protein equivalent	g	60.0	20.5	20.0	9.5
Carbohydrate	g	13.4	4.6	4.5	2.1
Sugars	g	8.3	2.8	2.8	1.3
Lactose	g	0.05	0.02	0.02	0.01
Fat	g	0.19	0.07	0.06	0.03
Saturates (of which MCT)	g	<0.1	<0.03	<0.03	<0.02
Dietary fibre	g	0	0	0	0
Salt	g	2.8	0.86	0.92	0.44
<b>Minerals and trace elements</b>					
Sodium (Na)	mg	1006	345	336	160
	mmol	48.1	16.5	16.1	7.6
Potassium (K)	mg	1571	538	525	250
	mmol	40.2	13.8	13.4	6.4
Chloride (Cl)	mg	792	271	265	126
	mmol	22.3	7.6	7.4	3.5
Calcium (Ca)	mg	1442	494	482	229
	mmol	36.0	12.3	12.0	5.7
Phosphorus (P) or Phosphate as PO <sub>4</sub>	mg	1416	485	473	225
	mmol	45.7	15.7	15.3	7.3
Magnesium	mg	347	119	116	55.2
	mmol	14.3	4.9	4.8	2.3
Ca / P ratio	-	1.0		1.0	-
Iron	mg	18.0	6.2	6.0	2.9
Copper	mg	1.6	0.56	0.5	0.26
Zinc	mg	14.0	4.8	4.7	2.2
Manganese	mg	1.0	0.34	0.3	0.16
Iodine	μg	188	64.4	62.8	29.9
Molybdenum	μg	73.0	25.0	24.4	11.6
Selenium	μg	73.0	25.0	24.4	11.6
Chromium	μg	51.0	17.5	17.0	8.1
<b>Vitamins</b>					
Vitamin A	μg RE	551	189	184	87.6
	IU	1836	629	613	292
Vitamin D3	μg	27.0	9.2	9.0	4.3
	IU	1080	370	361	172
Vitamin E	mg-α-TE	18.4	6.3	6.1	2.9
	IU	27.6	9.5	9.2	4.4
Vitamin C	mg	86.4	29.6	28.9	13.7
Vitamin K1	μg	86.4	29.6	28.9	13.7
Thiamin (B1) as base as HCl	mg	1.7	0.58	0.57	0.27
	mg	2.2	0.75	0.73	0.35
Riboflavin (B2)	mg	2.2	0.75	0.73	0.35
Niacin (B3)	mg	18.0	6.2	6.0	2.9
Vitamin B6	mg NE	43.0	14.7	14.4	6.8
Folic acid	μg	2.0	0.68	0.67	0.32
Vitamin B12	μg	240	82.2	80.2	38.2
Biotin	μg	4.3	1.5	1.4	0.68
Pantothenic acid (B5)	mg	43.2	14.8	14.4	6.9
Choline	mg	6.0	2.1	2.0	1.0
Myo-inositol	mg	360	123	120	57.2
Beta-carotene	μg	71.3	24.4	23.8	11.3
<b>Amino Acids</b>					
L-Alanine	g	2.4	0.82	0.80	0.38
L-Arginine	g	3.0	1.0	1.0	0.48
L-Aspartic acid	g	3.6	1.2	1.2	0.57
L-Cyst(e)ine	g	1.7	0.58	0.57	0.27
L-Glutamic Acid	g	8.0	2.7	2.7	1.3
L-Glutamine	g	0	0	0	0
Glycine	g	0.42	0.14	0.14	0.07
L-Histidine	g	2.4	0.82	0.80	0.38
L-Isoleucine	g	4.4	1.5	1.5	0.70
L-Leucine	g	9.0	3.1	3.0	1.4
L-Lysine	g	2.6	0.88	0.86	0.41
L-Methionine	g	0.80	0.27	0.27	0.13
L-Phenylalanine	mg	108	37.0	36.0	17.2
L-Proline	g	4.8	1.6	1.6	0.76
L-Serine	g	3.0	1.0	1.0	0.48
L-Threonine	g	6.8	2.3	2.3	1.1
L-Tryptophan	g	1.4	0.48	0.47	0.22
L-Tyrosine	g	6.0	2.1	2.0	0.95
L-Valine	g	5.2	1.8	1.7	0.83
L-Carnitine	g	0.08	0.03	0.03	0.01
Taurine	mg	79.2	27.1	26.5	12.6
Osmolarity	mOsmol / L	480			
	Dilution	15.9% w/v			
Osmolarity	mOsmol / kg water	530			

\*For a powder product, when prepared as directed on the label at: 15.9% Dilution.  
A food for special medical purposes; must be used under strict medical supervision.  
For more information contact the Nutricia Care Line: New Zealand: 0800 438 500; nutricia.co.nz/adult/  
Nutricia Ltd.  
Level 1, 19a Morgan Street  
Newmarket, Auckland, New Zealand, 1149.